

INFRASTRUCTURE & OPERATIONS

















Multi Station High Speed Bolt Formers | High Speed Rolling Machines | Centerless Grinding Continuous State Of The Art Heat Treatment Facility | Cnc Operation | Milling | Driling | Boring Different Kinds Of Surface Finish

















Company Profile

We are delighted to introduce ourselves as manufacturers of high-tensile fasteners operating under the brand name "Omax." We proudly serve clients across India directly and through a robust network of trusted dealers. Omax specializes in crafting a wide range of high-strength fasteners that adhere to the quality standards of IS, ISO, DIN, AS, ANSI, BS, and more.

Our commitment to quality is unwavering, aligning closely with ISO9001 standards. We meticulously oversee every aspect, from raw material processing to production, with the guidance of well-qualified quality inspectors and state-of-the-art testing equipment. This meticulous approach ensures the superior quality of our products.

With five decades of experience in the fastener industry, Omax's management team possesses valuable expertise in engaging with prominent OEMs across various sectors, including two-wheelers, commercial vehicle manufacturers, and heavy engineering industries. Our seasoned team excels in supply chain management, understanding the importance of meeting stringent deadlines and adhering to precise production schedules.

We offer flexibility and possess the capability to accommodate short turnaround times. Rest assured, we can deliver components to your exact specifications, precisely when you need them.

HIGH TENSILE FASTENERS STANDARD INDUSTRIAL PRODUCTS

				SELECT	SELECTOR GUIDE	<u>ا</u> ا						
	Tensile Strength Property	th Property		Size Range	Jge				Forri	For rivalent Standards	rds	
Product	Class	S	Diameter	er	Length	th			3		5	
	N/mm² Min.	Psi Min.	Metric	Inch*	Metric	Inch*	IS	ISO	DIN	BS	ANSI/ASME	JIS
Socket Head Cap Screw	(1220) (12.9)	1,90,000	M3 to M42	1/8" to 1"	4mm to 400mm	3/8" to 10"	5269	4762	912		B18.3.1 M/ B18.3	B1176
Socket Low Head Cap Screws	(1040) (10.9)		M4 to M12	1	10mm to 80mm			5000)	6912 7984	02	1)
Socket Counter Sunk Head Screws	(1220) (12.9)	1,60,000	M3 to M24	1/4" to 5/8"	6mm to 150mm	1/2 to 3"	6761	10642	7991	1ES BS'54	B18.3.5 M/ B18.3	(2000)
Socket Button Head Cap Screws	(1220) (12.9)	((M3 to M10	1	6mm to 50mm	1	1	7380	9427	INCH SEE	В18.3.4 М/ В18.3	1
Socket Set Screws Knurled Cup Point	Hardness HRC 45 Min.	C 45 Min.	M3 to M12	3/16" to 1/2"	3mm to 55mm	3/16" to 1.1/2"	6094	4029	916	яоз	B18.3.6 M/ B18.3	B 1177
Socket Set Screws Special Points	Hardness HRC 45 Min.	C 45 Min.	M3 to M16	3/16" to 1/2"	3mm to 55mm	3/16" to 1.1/2"		4026 4027 4028	915 916 914		B18.3	
Hex Head Bolts / Screws	800/830 (8.8) 1,040 (10.9)	Grade R, S, V	M3 to M42	1/4" to 1"	8mm to 400mm	3/8" to 12"	1364	4014 4017	931 933	BSF/BSW BS:1083	B18.2.1	B1180
Hex Nuts	1,040 (Proof Stress) (10)	Grade 8 Grade R Grade 5	M4 to M42	5/16" to 1"	I.		1364	4032	934	UNC/UNF BS:1768	B18.2.4.1 M/ B18.2.2	B1181
Special Products	800/830 (8.8) 1,040 (10.9)		M5 to M42	1/4" to 1"	6mm to 400mm	3/8" to 12"			As per c	As per customer specifications	ations	

* Thread type in any of the following inch series BSW, BSF, BA, UNC & UNF

^{*} All Standards are for latest version.

HIGH TENSILE FASTENERS STANDARD INDUSTRIAL PRODUCTS

						TH	READ SIZ	ZE CO	MPAR	ISON						
	М	ETRIC	PROD	UCTS			UNIFIED	INC	H PRO	DUCTS	В	.s.inc	CH PE	RODUC	TS	
SIZE	THRE	WHO SHOP	TCH & T	WINESES.	Majo	r Dia.	SIZE	T.I	P.I.	Major Dia.	SIZE	T.P.	.I.	Major Dia	T.P.I.	Major Dia
	PITCH	T.P.I.	PITCH	T.P.I.				UNC	UNF			BSW	BSF		ВА	
	mm		mm		mm	inch				inch				inch		inch
мз	0.50	51.00	À.		3.00	0.118	# 5	40	44	0.125	1/8	40		0.125		
											5BA				43.1	0.12
							# 6	32	40	0.138	4BA				38.5	0.14
M4	0.70	36.00			4.00	0.157	# 8	32	36	0.164	ЗВА				34.8	0.16
M5	0.80	32.00			5.00	0.197	# 10	24	32	0.190	3/16"	24	32	0.187		
		(2BA				31.3	0.18
						v.					1BA				28.2	0.20
M6	1.00	25.00			6.00	0.236	1/4"	20	28	0.250	OBA				25.4	0.23
											1/4"	20		0.250		
M8	1.25	20.00	1.00	25	8.00	0.315	5/16"	18	24	0.313	5/16"	18	22	0.313		
M10	1.50	17.00	1.25	20	10.00	0.394	v.servewer.wks	20785	15000	200200000		4035		25000000000		
			1.00	25	10.00	0.394	3/8"	16	24	0.375	3/8"	16	20	0.375		
	Monte		200000000	297842		************	7/16"	14	20	0.438						
M12	1.75	14.50		17	12.00	0.472										
/N## #X			1.25	20	12.00	0.472	1/2"	13	20	0.500	1/2"	12	16	0.500		
(M14)	2.00	12.50	6500000	17	14.00	0.551	E (0)	32	40	0.635	E (0)		.,	0.635		
M16	2.00	12.50		17	16.00	0.630	5/8"	11	18	0.625	5/8"	11	14	0.625		
(M18) M20	2.50	10.00	100000000	17 17	18.00 20.00	0.709	3/4"	10	16	0.750	3/4"	10	12	0.750		
M20	2.50	10.00	250-300	17	22.00	0.767	7/8"	9	14	0.750	3/4 7/8"	9	7.67	0.875		
M24	3.00	8.50	2.00	13	24.00	0.945	1"	8	12	1.000	1"	8	10	100 000 000		
1127	3.00	0.50	2.00	13	24.00	0.945	-		12	1.000	-		10	1.000		
M27	3.00	8.50			3000	25000000	1.1/8"	7	12	1.125	1.1/8"	7	9	1.125		
M30	3.50	7.30			30.00		1.1/4"	7	12	1.250	1.1/4"	7	_		_	
M33	3.50	7.30			33.00	1.299			1							
M36	4.00	6.30			36.00		1.1/2"	6	12	1.500	1.1/2"	6	8	1.500		
M42	Silveria	No.					1			1.500	1.1/2	"	٦	1.500		
1442	4.50	5.60			42.00	1.653										S.

SHCS of size above 1" are either as per ANSI B18.3





SOCKET HEAD CAP SCREW

METRIC SERIES

Recommended Consumer Net Prices in Rupees Per 100 Pieces Exclusive of GST Effective from April 01, 2022

Diameter	M2	M2.5	МЗ	M4	М5	М6	М8	M10	M12	M14	M16
	Wrench	Wrench	Wrench	Wrench	Wrench	Wrench	Wrench	Wrench	Wrench	Wrench	Wrench
Length (mm)	1.5 mm	2 mm	2.5 mm	3 mm	4 mm	5 mm	6 mm	8 mm	10 mm	12 mm	14 mm
3	1772	2 (1111)	2.5 11111	3111111	77,11001	Jimit	Omm	OTHER	10 11111	12 111111	4 T 11011
4	794		1260						-		-
5	808	766	1240	1280					S 71		
6	824	794	1067	1008	1322	1455					
8	836	816	780	712	739	999	1500		2		
10	852	836	651	567	409	662	1287				
12	879	922	651	511	409	628	970	1480			
14		100-100-0			835	930	1045				
16			649	533	447	595	807	1375	4215		
18					888	980	1085				
20			649	571	479	663	870	1429	3548	10250	7985
22					990	1030	1195				
25			713	627	511	743	892	1365	3109	8556	7740
30			842	743	620	839	1037	1464	2952	8322	7740
35			1053	814	681	920	1068	1580	3093	6997	6351
40			1205	898	743	999	1223	1885	3034	7161	6515
45			1334	1026	805	1081	1388	2086	3322	7292	6786
50			1700	1176	814	1178	1460	2281	3154	7456	6763
55				1891	1398	1283	1612	2463	3782	7549	7198
60				3827	1792	2373	1734	2665	3894	7996	7274
65				4860	1942	2461	1888	2880	4088	8118	7914
70					2095	2567	2071	3104	4305	8753	8540
75					2550	2808	2139	3304	4628	9269	9285
80					2695	3042	3087	4571	5403	9702	9454
85					7432	3799	4398	5900	7442		11760
90					2967	3267	3582	5227	6110	9923	10537
100					6851 8437	3689 5016	4248 5464	5956 7055	6750 8313	12317 13758	12005 13402
110				<i>,</i>	9421	5486	6412	7135	9558	14461	14098
120 130					10530	5919	7781	9737	11308	16338	16067
140					12622	6353	8375	10866	12611	17931	17211
150					13890	6755	9025	12085	13939	19162	18338
160					19922	12844	9920	16364	23096	19962	36662
170					22455	-2017	10710	10004	26103	21801	40830
180					22455	15030	11290	18408	25393	23085	41972
200				1	25577	20768	12477	19677	27491	26055	45120
220								25280	31303	28661	52081
240								38695	46996	31222	61192
260						*			53705	33438	77252
280									56266	36044	93300
300									94850		99965

(1) Material : High Grade Alloy Steel

(2) Threads : IS-4218

(3) Specifications : IS-2269 DIN 912 ISO-4762 (4) Mechanical properties : IS - 1367, Property Class 12.9

(5) Shaded sizes are fully threaded





METRIC SERIES

Recommended Consumer Net Prices in Rupees Per 100 Pieces Exclusive of GST Effective from April 01, 2022

SOCKET HEAD CAP SCREW

Diameter	M18	M20	M22	M24	M27 #	M30 #	M33 #	M36 #	M42 #
	Wrench	Wrench	Wrench	Wrench	Wrench	Wrench	Wrench	Wrench	Wrench
Length (mm)	14 mm	17 mm	17 mm	19 mm	19 mm	22 mm	24 mm	27 mm	32 mm
25		19565							
30	21741	18981							
35	22014	19230						ľ	
40	19276	16358	24745						
45	19418	16932	26180	21850	į.				
50	19569	16232	23379	20870		55539			
55	19691	16708	25585	23488					
60	19847	16452	27034	24142	43040	43975			
65	20010	16987	29290	25668					
70	21369	18669	30668	27384	46547	48343			
75	22764	19323	32510	29013	48912	48968	75603	111110	
80	23207	19259	34170	30514	52184	50815	76347	91707	177465
85		27555							
90	23677	20092	34875	32011	55858	53382	85179	100126	145565
100	24838	21657	37796	33758	59583	59652	89006	100154	159466
110	27483	23971	39997	35703	63310	63373	91253	105592	163800
120	30101	26285	43226	39678	67032	67100	99610	110155	178129
130	33616	28569	58434	41490	71686	71757	107192	117118	181959
140	37320	30863	66418	44367	74481	76639	110804	125641	196884
150	39005	33798	88548	47268	79142	79227	116391	130170	201014
160	41608	43318	107408	78652	124759	123525	154099	175178	281130
170		50913							
180	58530	49471	118470	82108	137796	135506	171313	195728	298371
200	62310	51755	126800	87894	149907	147408	186209	212117	323247
220	68218	55314#	135537#	94067#	187428	183049	230765	263050	405526
240	74548	86950#	150388#	100245#	207685	200603	249345	270285	422707
260	80175	106660#	161445#	103690#	226218	211225	260840	289470	450869
280	85800	126355#	167815#	108935#	241442	225070	275200	308712	479056
300	91427	135380#	179805#	116720#	254724	238915	296690	337120	507236
320	e de l'administration de l	224357#		209483#	308700	288935		426217	507490
340		238520#		222033#	325805	334795		466318	709225
360	G.			262029#		893140	7	845857	1014588
380						915400		954301	1094305
400						995055		1084433	1203011

(1) Material : High Grade Alloy Steel

(2) Threads : IS-4218

(3) Specifications : IS-2269 DIN 912 ISO-4762 (4) Mechanical properties : IS - 1367, Property Class 12.9

(5) Shaded sizes are fully threaded

(6) # Hot forged items







INCH SERIES

Recommended Consumer Net Prices in Rupees Per 100 Pieces Exclusive of GST Effective from April 01, 2022

SOCKET HEAD CAP SCREW

SUCKET	TILAD C	AF JCKL	W				7	-Hective i	Tomrapin	01, 2022	
Diameter	1/8"	3/16"	1/4"	5/16"	3/8"	7/16"	1/2"	5/8"	3/4"	7/8"	1"
	Wrench	Wrench	Wrench	Wrench	Wrench	Wrench	Wrench	Wrench	Wrench	Wrench	Wrench
Length	3/32"	5/32"	3/16"	7/32"	5/16"	5/16"	3/8"	1/2"	9/16"	9/16"	5/8"
3/8"	1398	595									
1/2"	1398	595	691	982							
5/8"	1596								V		
3/4"	1596	595	711	897	1237	3456	3793		A		T.
1"	1700	666	797	972	1372	3343	3216	7154			II
1.1/4"		737	875	1114	1504	3343	3371	6217	17888		
1.1/2"		840	1005	1248	1675	3408	3430	6435	15777	25407	23816
1.3/4"					2002		3680	6845			
2"		957	1197	1475	2079	3644	3830	7169	16588	26411	25225
2.1/4"									16945		
2.1/2"		1263	2500	1771	2579	4387	4606	8008	16945	28450	27953
2.3/4"									18760		
3"			2922	2100	2886	4816	5439	8791	19285	32058	30627
3.1/4"							2		20037		
3.1/2"			3405	3608	4327	6230	6501	10250	19491	35356	33772
4"			3858	4281	5079	7215	7731	12178	21008	37302	37305
4.1/2"				6920	7718	10650	9257	12600	24845	43880	41805
5"				7798	9157	11340	11396	13862	26994	48437	46290
5.1/2"				12005	11004	12139	12546	17696	30704	50455	48200
6"				14579	11650	12152	12987	19283	33701	55215	53772
6.1/2"					23500		25767	39946	43100	95900	88505
7"				23900	28988	e .	26284	41055	44077	95860	91647
7.1/2"							27314	42635	46360	99370	94965
8"				29460	31494		29257	44050	45991	98722	98106
8.1/2"								59255	54880		
9"							50200	57765	54857	107400	110420
10"							51700	75585	60953	122235	122690
											1

(1) Material : High Grade Alloy Steel

(2) Threads : BS-84 (BSW)

(3) Specifications : BS-2470

(4) Mechanical properties : BS-2470 HRC (38-44)

(5) Shaded sizes are fully threaded







SOCKET SET SCREW

METRIC SERIES

(Knurled Cup Point)

Recommended Consumer Net Prices in Rupees Per 100 Pieces Exclusive of GST Effective from April 01, 2022

Diameter	М3	M4	M5	M6	M8	M10	M12	M16	M20
	Wrench								
Length (mm)	1.5 mm	2 mm	2.5 mm	3 mm	4 mm	5 mm	6 mm	8mm	10mm
3	401								
4	405	336							
5	413	336	234	498					
6	396	340	237	247	505				
8	402	364	237	269	306	641			
10	424	370	258	303	325	499	963		-
12	461	409	312	348	380	580	825		
16	609	559	365	445	462	774	1130	2621	
20	635	693	435	522	601	955	1249	2948	7573
25		750	571	634	884	1340	1714	3604	8451
30		1365	692	835	1069	1665	1982	4128	9769
35		1812	1103	1276	1528	2005	2689	4963	11138
40		2333	1376	1444	1783	2280	3265	5714	12571
45				1591	2069	2605	4020	7051	16832
50				1874	2348	3030	4400	8001	18348
55					3670	4880	7570	10742	20508
60					4410	5900	7068	11236	21792
65					4620	6160	9995	16382	24559
70							11600	22934	25926
75								25661	28186
80								26211	31600

(1) Material : High Grade Alloy Steel

(2) Threads : Metric IS-4218

(3) Specifications : IS-6094

(4) Mechanical properties : 45 H as per IS:1367

INCH SERIES BSW

SOCKET SET SCREW

(Knurled Cup Point)

→ Diameter	3/16"	1/4"	5/16"	3/8"	1/2"	5/8"	3/4"
<u> </u>	Wrench						
Length	3/32"	1/8"	5/32"	3/16"	1/4"	5/16"	3/8"
3/16"	252				3)	ľ	31
1/4"	244	292			13		8
5/16"	258	309	309				
3/8"	265	323	323	425			
1/2"	306	329	384	502	865		2
5/8"		429	417	593	971	2294	
3/4"	421	653	547	884	1344	2362	5142
1"	596	654	764	1179	2113	2740	6191
1.1/4"		725	887	1286	2114	4138	7628
1.1/2"		1230	1802	2555	4905	6676	10607
1.3/4"						8800	
2"			2278		6900	8185	14692
2.1/2"						11926	17986
3"							

(1) Material : High Grade Alloy Steel

(2) Threads : BS-84 (BSW)

(3) Specifications : BS-2470

(4) Mechanical properties : BS-2470 HRC (38-44)









SOCKET COUNTER SUNK SCREWS

INCH SERIES

Recommended Consumer Net Prices in Rupees Per 100 Pieces Exclusive of GST Effective from April 01, 2022

Diameter	1/4"	5/16"	3/8"	1/2"	5/8"
	Wrench 5/32"	Wrench 3/16"	Wrench 7/32"	Wrench 5/16"	Wrench 3/8"
Length	BSW	BSW	BSW	BSW	BSW
1/2"	914	1538	2787		
5/8"		1538			
3/4"	1073	1278	2138	6483	
1"	1252	1472	2477	6392	
1.1/4"	1454	1698	2851	7085	11647
1.1/2"		2619	3846	7931	13033
2"			4551	8891	14435
2.1/2"			5475	10335	16242
3"			6659	11580	18774

(1) Material **High Grade Alloy Steel** :

(2) Threads **BS-84**

(3) Specifications BSW Series : AS PER OMAX STANDARD

(4) Mechanical Properties HRC: 38 - 44 BS-2470 :





SOCKET COUNTER SUNK SCREWS

METRIC SERIES

Recommended Consumer Net Prices in Rupees Per 100 Pieces Exclusive of GST Effective from April 01, 2022

Diameter	мз	M4	М5	М6	м8	M10	M12	M16	M20	M24
Viaineter								-		
	Wrench	Wrench	Wrench	Wrench						
Length (mm)	2 mm	2.5 mm	3 mm	4 mm	5 mm	6 mm	8 mm	10 mm	12 mm	14 mm
6	1035	1060								
8	1224	664	984	761						
10	1315	664	647	767	1729					
12	1410	670	705	746	1000					
16	1598	758	758	839	971	1625	5100			
20	1786	782	775	896	1043	1396	3300			
25	1977	959	911	1022	1196	1621	2960	7860		
30		1160	1159	1176	1367	1859	3391	6373		
35		2503	1543	1337	1554	2137	3646	6868		· ·
40		2696	2406	1573	1824	2448	3931	7156	13253	
45		3033	2710	2805	2058	2755	4450	8074	14218	
50		3369	3008	3510	3222	3109	4855	8114	15023	
55				3895	3848	3850	5563	9314	15945	
60				5285	4195	4199	5994	9829	16862	32289
65							6800	10343	17819	
70							7325	10859	18776	36925
75					0		7849	13382	20410	39067
80					8		9084	13986	23383	41373
90						0	13285	15286	24304	45989
100							15392	18072	30168	52294
110								21246	33993	58862
120								25388	37237	65198
130					8	3		29397	40106	71532
140						S.	, , , , , , , , , , , , , , , , , , ,	30734	52289	80615
150					-			34254	57344	86660
160									65395	93508
180									70844	100592
200						·			77657	102974

(1) Material : High Grade Alloy Steel

(2) Threads : IS-4218

(3) Specifications : DIN-7991, IS 6761

(4) Mechanical properties : IS - 1367, Property Class 12.9

(5) Shaded sizes are fully threaded







METRIC SERIES

Recommended Consumer Net Prices in Rupees Per 100 Pieces Exclusive of GST Effective from April 01, 2022

Diameter	МЗ	M4	М5	М6	М8	M10
\ [Wrench	Wrench	Wrench	Wrench	Wrench	Wrench
ength (mm)	2 mm	2.5 mm	3 mm	4 mm	5 mm	6 mm
5		1093				
6	877	642	1220	2235		
8	711	633	1197	2235		
10	815	633	633	812	1361	
12	907	695	695	827	1153	
16	1153	840	815	946	1182	2365
20	2037	950	967	1020	1211	1610
25	2238	1185	1148	1063	1419	1849
30		1700	1311	1109	1626	2071
35			1968	1746	1981	2323
40			1982	1995	2219	2575
45			2482	2918	3320	4063
50			3064	3356	3620	4578

(1) Material : High Grade Alloy Steel

(2) Threads : ISO Metric as per IS:4218

(3) Specifications : Generally confirming to ISO:7380

(4) Mechanical Properties : IS-1367, Property Class 12.9

(5) All sizes are fully threaded





INCH & METRIC SERIES

Recommended Consumer Net Prices in Rupees Per 100 Pieces Exclusive of GST Effective from April 01, 2022

DIMENSIONS	NET PRICE	QTY.
ACROSS FLATS	PER 100	PER
(inch)	PCS.	BOX
1/16"	1324	100
5/64"	1461	100
3/32"	1461	100
1/8"	1461	100
5/32"	1730	100
3/16"	2242	100
7/32"	3048	50
1/4"	4415	50
5/16"	7334	25
3/8"	10848	25
1/2"	25030	10
9/16"	32026	10
5/8"	46764	10
3/4"	75619	5

DIMENSIONS	NET PRICE	QTY.
ACROSS FLATS	PER 100	PER
(mm)	PCS.	вох
1.5	1325	100
2	1325	100
2.5	1325	100
3	1461	100
4	2292	100
5	2797	100
6	3983	75
8	7499	25
10	12516	25
12	23545	10
14	34632	10
17	54773	10
19	75583	10
22	119129	5
24	160172	5
27	269651	2
32	474211	2

HEXAGON WRENCH SETS

TYPE	SIZES ACROSS FLATS OF WRENCHES	PRICE/SET
Standard (Metric)	1.5mm, 2mm, 2.5mm, 3mm, 4mm, 5mm, 6mm, 8mm, 10mm	412.00
Standard (inch)	1/16", 5/64", 3/32", 1/8", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"	432.00

(1) Material : High Grade Alloy Steel
(2) Specifications : Inch Series : BS:2470

Metric Series: IS:3082, DIN:911

(3) Mechanical Properties : Hardness - HRC 47 Min.





HEXAGONAL HEAD BOLTS/SCREW

METRIC SERIES

GRADE 8.8/10.9

Recommended Consumer Net Prices in Rupees Per 100 Pieces Exclusive of GST Effective from April 01, 2022

Diameter	МЗ	M4	М5	М6	М8	M10	M12	M14	M16	M18	M20	M22	M24
	Wrench	Wrench	Wrench	Wrench	Wrench	Wrench	Wrench	Wrench	Wrench	Wrench	Wrench	Wrench	Wrench
Length mm	5.5 mm	7 mm	8 mm	10 mm	13 mm	16 mm	18 mm	21 mm	24 mm	27 mm	30 mm	34 mm	36 mm
6				800							.0300.000000		
8		544	697	650				//				77	7
10	439	359	381	495	870		- 55	0.					15
12	439	373	388	521	712	1975							12 12
14				570	7a/Almo que	10-2-10-10							2 2
16	439	613	612	540	721	1255	2694						
18				547	669	1395						75	*
20	467	529	505	540	650	1175	1930	4690	4383				
25		538	529	558	733	1269	2037	3335	4400			1	10 39
30		537	572*	584*	821	1371	2022	3596	4820	11890	9965		
35		551	578*	627*	934*	1442	2134	3739	4820	7969	9620		
40		585	613*	656*	1022*	1750*	2429	4000	4771	8570	9593		20050
45		658	670*	697*	1071*	2031*	2695*	4318*	5059	8932	10048		21280
50		732	806*	746*	1166*	2080*	2882*	4789*	5434	9208	9975	14225	17460
55			850	821*	1279*	2164*	3092*	4894*	6041*	9838	11331	15318	16660
60			930	896*	1441*	2377*	3224*	5113*	6374*	10145	11489	15819	18125
65			1055	972	1520*	2505*	3369*	5394	6534*	10489	11630*	16941	18757
70			1137	1049	1610*	2635*	3809*	5723	6973*	11457	11769*	17530	19881*
75	j		1220	1058	1662*	2815*	3947*	6001	7479*	12125	13058*	18132	20597*
80			8 7	1275	1768*	3241*	4186*	6353	8583*	12149	13444*	18870	22522*
85					2200	4035	5428		9325		17395		
90				1261	2286*	3593*	4510*	6960	9170*	12906	14285*	20100	24050*
100				1402	2675*	4131*	5268*	8009	9518*	14300	15214*	21437	26012*
110				2156	3784*	4767*	5927*	8709	10558*	15075	17123*	23338	27188*
120				2345	4174*	5190*	6281*	9667	12060*	16635	18228*	24945	28533*
130				2526	4569	5832*	6640*	10464	14182*	17395	19834*	26284	30093*
140				2713	5056	6469*	7877*	13552	14376*	18154	21166*	27600	31524*
150				2897	5380	6931*	10526*	14958	16362*	19440	20802*	28897	33065*
160					5708	7426	11357	16702	17769*	20935	24767*	32963	39483*
170							13768		23000		33800		41202*
180					6322	8355	11996	17980	20054*	23226	28998*	35797	42927*
200					7133	9362	15851	19980	21709*	25093	31251*	38678	46450*
220						21573	23461	27270	28060*	28407	44621*	61139#	70376#
240				9		25169	24039	29497	30198*	30993	46858*	66227#	72897#
260	3								30810*	33575	49096*	68774#	75421#
280									34013*	Total Control of the	STATE OF STREET	76439#	
300							28832	36455	43723*	45170	58002#	81902#	3
320											80824#		183055#
340	5		a 2			-		S		5	93266#		221884#
360				CV.		-		ev.			111725#		298663#
380							7	cy					354663#
400								97				Į į	419995#

(1) Specification

IS-1364, ISO:4014/4017/ EN 24014, 24017/24032

(2) Threads

(3) Supply Condition

(4) Extra Charges for zinc passivated finish

(5) Shaded sizes are fully threaded

(6) * These sizes are available fully threaded also .

(7) # Hot forged items

IS-4218

IS-1367





HEXAGONAL HEAD BOLTS/SCREW

METRIC SERIES GRADE 8.8/10.9

Recommended Consumer Net Prices in Rupees Per 100 Pieces Exclusive of GST Effective from April 01, 2022

Diameter	M27#	M30#	M33#	M36#	M42#	M48#
	Wrench	Wrench	Wrench	Wrench	Wrench	Wrench
Length mm	41 mm	46 mm	50 mm	55 mm	65 mm	75 mm
50		47675				
60	37012	47675				
70	37012	47675				
75	39805	47675	67416	88020		
80	41654	49613	71283	85400		
90	45347	53855*	75611	91772	134580	
100	49064	57957*	80970	95471	142314	192600
110	52906	63751*	87066	101964	150090	203180
120	54248	65158	89147	103940	151247	204375
130	56034	68093	93937	109385	157633	212895
140	59582	72316	99759	115625	166406	237820
150	63129	76378	105474	121823	175160	248580
160	69720	86413	110392	133865	183923	259420
180	77300	95261	121055	155236	200630	281020
200	84200	103919	131680	168268	209707	291230
220	116050	129220	159260	202045	269390	370185
240	125160	138310	171000	216600	289385	394855
260	133370	147415	183820	231130	309440	419520
280	141550	156520	196570	245690	329460	444190
300	148200	165590	209305	294200	349460	468855
320		216255		438550	486790	
340		242000	1	508720	548750	
360		285450	1	561350	615130	
380		337755		613975	681510	
400		398541		675370	752320	



HEX NUTS

SIZE MM	Grade	PER 100 PCS.	QTY PER BOX	
M4x0.70	8	112	1000	
M5x0.80	8	139	1000	
M6x1	8	193	1000	
M8x1.25	8	248	500	
M10x1.5	8	505	200	
M12x1.75	8	752	200	
M10x1.5	10	694	200	
M12x1.75	10	1110	200	
M14x2	10	1520	100	
M16x2	10	1930	200	
M18x2.5	10	2900	125	

METRIC SERIES

SIZE MM	Grade	NET PRICE PER 100 PCS.	QTY PER BOX		
M20x2.5	10	3666	100		
M22x2.5	10	5400	80		
M24x3	10	6385	50		
M27x3	10	10610	30		
M30x3.5	10	15280	25		
M33x3.5	10	21025	15		
M36x4	10	27140	12		
M42x4.5	10	45525	10		
M45x4.5	10	54470	6		
M48X5	10	65625	4		

(1) Specification Hex Bolt: IS-1364, ISO:4014/4017 :

Hex Nut: IS-1364, ISO-4032

(2) Threads IS-4218 : (3) Supply Condition IS-1367

(4) Extra Charges for zinc passivated finish

(5) Shaded sizes are fully threaded

(6) # Hot forged items



HIGH TENSILE FASTENERS

STANDARD INDUSTRIAL PRODUCTS



(GR. S GR.5/GR.8)

Recommended Consumer Net Prices in Rupees Per 100 Pieces Exclusive of GST Effective from April 01, 2022



HEXAGONAL HEAD BOLTS/SCREW

Diameter	1/4"	5/16"	3/8"	7/16"	1/2"	5/8"	3/4"	7/8"	1"
\ [Wrench	Wrench							
\ [7/16"	1/2"	9/16"	5/8"	3/4"	15/16"	1.1/8"	1.5/16"	1.1/2"
ength \	UNC	UNC							
1/2"	616	822							
5/8"	764	787	1285		ĺ				
3/4"	695	757	1119	1621	2411				
7/8"		828	1355		2394		Î		8
1"	684	824	1105	1824	2541	4585			8
1.1/4"	700	907	1234	1849	2836	4958	8828		
1.1/2"	776	1104	1395	1998	3024	5200	9392	20355	19949
1.3/4"	850	1236	1630	2533	3251	5549	9760	22360	
2"	932	1317	1787	2533	3541	5828	10386	24557	20969
2.1/4"			1960		3910	6345	11408	24557	21782
2.1/2"	1140	1591	2149	3183	4163	6944	11967	19800	22782
2.3/4"					4505	7504	13054	19800	24289
3"	1370	1809	2536	3607	5054	8089	13567	20745	26602
3.1/4"		Î			5421	8625	14162	22910	27633
3.1/2"	1595	2080	2882	4012	5607	9123	15309	22877	28795
3.3/4"						10105	16432	24580	31696
4"	1828	2840	3796	5278	6152	10357	17194	25714	31696
4.1/4"						10735	17616	27300	34947
4.1/2"	2035	3195	4475	6387	7120	11118	18431	28600	34947
5"	2250	3550	4970		7775	12516	19606	30775	38994
5.1/2"		3880	6245		9495	14398	22017	32420	42146
6"		4205	7005		11525	15095	22602	34410	44098
6.1/2"			8230		14160	17635	24424	36315	47870
7"					17915	18990	24424	40085	51590
7.1/2"					19235	20345	26280	42160	57265
8"					20515	20715	28800	44020	59915
9"		· ·				23305	30105	50015	69300
10"						25900	33870	52335	76010
11"						41075	36000		79805
12"						48325	39275		87065

UNC & UNF

(1) Specifications BS:1768, ANSI B-18,2.1

(2) Threads BS:1580, B1.1


(3) Supply Condition as per BS:1768 & SAE : J-429

(4) Extra charges for zinc passivated finish

HEX NUTS

(5) Shaded sizes are fully threaded

INCH SERIES



UNC

BSF (1) Specification BS:1768, ANSI:B-18, 2.2 BS:1083

BS:84 (2) Threads Fit BS:1580, B1.1 (3) Supply Condition BS:1768, B-18.2. & SAE: J-429 BS:1083



COMPARISON OF DIFFERENT STRENGTH GRADES

		I.S.	ULTIMA	TE TENSILE STREN	GTH RANGE	H	ARDN	ESS
SAE	B.S.	I.S.O. DIN	(Kgf/mm²)	Newtons/mm ²	Pounds/inch ² (P.S.I.)	BHN	HRB	HRC
		4.6	40.8/81.5	400/800	58000/116400	114	67	
						238	99.5	
GRADE			42.2/81.5	414/800	59000/116400	(121)	70	
1						(241)	100	
		4.8	42.8/81.5	420/800	59000/116400	124	71	
						238	99	
		5.6	51/81.5	500/800	72000/116400	147	79	
						238	99	
GRADE			51.3/81.5	502/800	72000/116400	(150)	80	
2					150-70-50-00-10-50-50-	(241)	100	
		5.8	53/81.5	520/800	75000/116400	152	82	
			10 200 ESC 108			238	99.5	
	P		55/81.5	579/800	75000/116400	152	82	
						240	99.5	
		6.8	61/81.5	600/800	87000/116400	181	89	
						238	99.5	
	R		71/98	696/965	101500/140000	201	93	25.25
						285		30
	S		79/108	770/1060	112100/154200	223		(20/33)
		0.0	04.6/406	000/4040	44.6500/450000	310		22/22
		8.8	81.6/106	800/1040 upto M16	116500/150000	238/304		22/32
	<u> </u>		84.6/111	830/1090 above M16	120800/158600	242/318		23/34
GRADE			87/111	852/1090	124000/158500	253		
5	-		06/445	040/4427	122000/16/1000	318		25/34
	T		86/115	840/1127	123000/164000	247/335		24/36
	U		93/115	916/1127 995/1255		271/335		28/36
GRADE	V		101/128		144000/182000	295/370		31/40
GRADE 8			108/124	1060/1220	154000/177000	312		(32/20)
0	\vdash	10.9	106/124	1040/1220	156000/177000	362 304		(33/39)
		10.9	100/124	1070/1220	130000/177000	362		(32/39)
	w		108/132	1060/1293	154000/190000	312		(32/39)
	"		100/132	1000/1293	134000/190000	381		(33/41)
	х		118/146	1156/1430	169000/210000	341		(33/41)
	^		110/140	1130/1730	109000/210000	410		(37/44)
		12.9	124/146	1220/1430	177000/210000	362		(37/44)
		12.9	127/170	1220/1730	177000/210000	410		(39/44)
	Υ		124/151	1220/1484	177000/216000	362		(35/44)
			127/131	1220/1707	177000/210000	432		(39/46)
	-		140/166	1455/1620	210000/227100	000-00-0		
	Z		148/166	1455/1630	210000/237100	425/475		(45/49)

1Kgf = 9.81 Newtons

 $1 \text{kgf/mm}^2 = 1421.7 \text{ Psi}$



GENERAL CONDITIONS FOR SALE

- 1. This Price list is effective from 01.08.2023
- 2. PRICES: The prices to be charged at the time of dispatch shall be determined by deducting discount from the List Price. The percentage of discount from LP shall be communicated separately from time to time. The prices determined as above shall be F.O.R. destination/Rohtak basis. GST, and any other taxes, if applicable, shall be charged extra at time of dispatch. Any increase in the taxes, levied by the government shall be to the Purchaser's account. The Company reserves the right to amend the price without prior notice.
- LOSS OR DAMAGES: The Company's responsibility ceases on handing over goods to the carriers. The company accepts no responsibility for loss or damage to goods in transit.
- 4. PACKING: Prices quoted are for packing in cartons.
- 5. PAYMENT: Payment shall be made as per decided terms & Conditions. Any delay in the payment from the due date will attract an interest of 21% per annum.
- 6. DELIVERY: All Ex-stock offers are subject to goods remaining unsold at the time of receipt of the order. For forward delivery dates are given without any guarantee and no responsibility can be accepted by the company for delay in delivery or failure to deliver due to circumstances beyond the company's control. Delivery/dispatch may be made in one lot or several lots.
- 7. FORCE MAJEURE: The company shall not be responsible for failure or delay in delivery of goods or any part thereof (or any consequential damages) due to act of God, enemies of the Government of India, wars, revolution, embargo, riots, civil or political disturbances, strikes, lockouts, stoppages of labour, shortage of raw material and/or labour, shortage of motive-power,non-availability of shipping spaces or import or export licenses, break-down of machinery, restraints imposed on the company by the Government, municipality or any other cause beyond the company's control, such failure/delay shall not entitle the Purchaser's to cancel the contract nor is the company liable to make good and damage arising from

- such failure to deliver or delay in delivery.
- 8. INFRINGEMENT OF PATENT & TRADE MARK: When products are forged to customer's drawings/ specifications, the responsibility to ensure that these do not result in infringement of any patent or trade mark will lie entirely with the customer concerned who shall be responsible for consequences if any in case of any such in fringement.
- CONFIRMATION: The Company accepts no responsibility for orders booked by Company sales men or agents till it is confirmed in writing by the Company.
- 10. ACCEPTANCE & RETURN: Wrong dispatches should be notified/reported to the Company within 07 days from the date of receipt of the goods along with the copy of packing slip and the company's consent should be obtained in writing before return of such goods.
- 11. CANCELLATION OF ORDERS: -The company reserves the right to refuse the cancellation of the order once it has been accepted. Failure on the part of purchaser to accept the delivery and make payments will be considered a breach of contract and the Company shall be entitled to cancel the contract and forfeit the deposit paid by the purchaser, if any.
- 12. GURANTEE: We undertake free replacement of goods against manufacturing defects only. The Company shall not be responsible for any contingent or resulting liabilities or loss arising through any defect in goods supplied.
- 13. Supplies shall be in natural finish unless otherwise specified. For supply in zinc plating etc., the rate shall be charged extra.
- 14. The dealer will not deal in fasteners of sub-standard quality bearing deceptively similar monograms as employed on our products. Such an act will deprive the dealer for dealing in our products.
- 15. Any disputes or claims arising on or out of, or in connection with quotations, orders or contracts for the supply of goods by the company shall be referred to the sole Arbitrator appointed by the Managing Director of the Company and the award made by such Arbitrator shall be final and binding on both parties.







Online Ordering?

Search and view range.

View Pricing.

View/download technical information.

Keep up to date with industry developments.



OUR GROUP COMPANIES:

- 1. SHAKTI FASTENERS
 90, IDC, Hissar Road Rohtak-124001,
 HARYANA, INDIA
 Mfg. of: CHO Wires & All types of Bright Bars
- 2. OMAX INDUSTRIES
 IDC, Hissar Road Rohtak-124001
 HARYANA, INDIA
 Mfrs of: Precision Turned components
- 3. PREMIER AUTO INDUSTRIES 88 ,I.D.C, Hissar Road Rohtak-124001 HARYANA, INDIA Mfg. of: Hot & Cold Forging Components.
- 4. SHAKTI SONA FASTNERS PVT. LTD. Hissar Road Rohtak-124001, HARYANA, INDIA Mfg. of: All types of Fasteners
- 5. KARISHMA FINISHERS 96, IDC, Hissar Road, Rohtak-124001 HARYANA, INDIA Mfg. of: All types of Platings

CUSTOMER SUPPORT: Mobile: +919034655550

Business Support: business@omaxautoindia.com

Sales Support: sales@omaxautoindia.com

Quality Support: quality@omaxautoindia.com

OMAX AUTO 80 IDC, Hissar Road Rohtak-124001, HARYANA, INDIA

M: +919896002300

E: parasahuja@hotmail.com W: www.omaxautoindia.com





